EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1061	((offline or off?line) near3 search\$3)and @ad<"20090901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:29
L2	90	L1 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:29
L3	8	L1 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:29
L4	932	L1 and (cach\$3 or stor\$3 or sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:30
L5	90	L4 and 707/3.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:30
L6	8	L4 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:30
L7	464	L4 and (query or queries or querying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:30
L8	85	L7 and 707/3.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:30
L9	6	L7 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/11/24 13:30

L10	423	((offline or off?line) near3 search\$3)and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:31
L11	34	L10 and 707/3.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:31
L13	2315	(previous\$2 near3 quer\$3) and @ad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:31
L14	533	L13 and 707/3.cc/s.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:31
L15	41	L13 and 707/7.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:31
L16	63	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:32
L17	21	L16 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:32
L18	0	L16 and 707/7.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:32
L19	4569	(expir\$5 near5 data) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:32
L20	45	L19 and 707/3.cds.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:32
L21	8	L19 and 707/7.ccls.	US-PGPUB; US-PAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:33

L22	326	L19 and "707"/.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:37
L23	8	L22 and 707/7.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:37
L24	45	L22 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:37
L25	2915	(determin\$3 with (off?line or offline)) and @ad<"20030801"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:37
L26	24	L25 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:37
L27	5	L25 and 707/7.cds.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/24 13:37
S1	1770238	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20
S2	586	((offline or off?line) near3 search\$3)and @ad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
83	498	S2 and (cach\$3 or stor\$3 or sav\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:18
S4	225	S3 and (query or queries or querying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 14:10
S 5	379	((offline or off?line) near3 search\$3)and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13

S6	0	S5 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 15:29
S7	76	S5 and "707"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 16:18
S8	2	"20030046311" and (stor\$3 or cach\$3 or sav\$3 or query or result\$1 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:02
S9	2	"20030055828" and (stor\$3 or cach\$3 or sav\$3 or query or result\$1 or off?line or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:26
S10	1	"20030014399" and off?line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:18
S11	0	"20020103806" and off?line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:18
S12	2	"20020103806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:19
S13	1	"20020103806" and offline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:19
S14	2	"20020065800" and (stor\$3 or cach\$3 or sav\$3 or query or result\$1 or off?line or match\$3 or offline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:33
S15	2016	(previous\$2 near3 quer\$3) and @ad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S16	56	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14

S17	1	"20040001104" and list\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:06
S18	2	"20040001104" and (time\$1 or threshold or pre?set or preset or period\$1 or updat\$3 or timely or periodically or regular\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:10
S19	2	"20030046311" and (time\$1 or threshold or pre?set or preset or period\$1 or updat\$3 or timely or periodically or regular\$2)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:13
\$20	1	"20030101286" and (compar \$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:42
S21	56	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S22	16	S21 and (compar\$3 with (query or queries or querying))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:01
\$23	2	"20030046311" and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:57
\$24	1	"7082428".pn. and (compar \$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:09
S 25	0	"20030046311" and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:13
S26	7305	(expir\$5 near5 (data or information)) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15

\$27	4273	(expir\$5 near5 data) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S28	287	S27 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:11
S29	351	(determin\$3 near5 (expir\$5 near5 data)) and @ad< "20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S30	31	S29 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:12
\$31	1	"20060010150" and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:29
S32	0	"20060010150" and display\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:29
S33	1	"20060010150" and user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:13
S34	2677	(determin\$3 with (off?line or offline)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S3 5	131	S34 and "707"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S36	111	S35 and ((off?line or offline) with accessible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S37	4	"814069".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:55

S38	2	"20040001104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:56
S39	5376	"20040001104"and ((previously with quer\$3) and (result\$1 or set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:56
S40	1	"20040001104" and ((previously with quer\$3) and (result\$1 or set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:36
S41	1	"20040001104" and determin \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:36
S42	2247	(determin\$4 with (search near5 result\$1)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S43	1567	(determin\$4 near6 (search near5 result\$1)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S44	33	(determin\$4 with (search near5 result\$1) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3 or execut\$3)) and @ad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02
S45	988	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3 or execut\$3)) and @ad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S46	838	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S47	463	(determin\$4 near6 (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17

S48	463	((determin\$4 near6 (search\$3 or query\$3)) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S49	260	((determin\$4 near6 (search\$3 or query\$3)) near6 (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S50	294	((determin\$4 near6 (search\$3 or query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S51	109	((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S52	2	"20030191828" and ((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/02 10:54
S53	4940956	"2003" 0220913and ((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:55
S54	0	"20030220913" and ((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/03/02 13:11
S55	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:55
S56	2	"20030220913" and (determin \$4 or query\$3 or enter\$3 or receiv\$3 or obtain\$3 or previous\$2 or before or last or portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:41

S57	2	"20030220913" and (document\$1 or article\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:49
S58	1	"20030220913" and expand \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:49
S59	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2007/08/01 13:20
S60	2	"20030046311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:25
S61	2	"7082428".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:27
S62	3	"20040001104"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:30
S63	3	"20040267813"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:35
S64	2	"20060010150"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:35
S65	389	((offline or off?line) near3 search\$3)and @rlad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:40
S66	288	((offline or off?line) near3 search\$3)and @prad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S67	317	((offline or off?line) near3 search\$3)and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13

S68	259	((offline or off?line) near3 search\$3)and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S69	1085	(previous\$2 near3 quer\$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S70	336	(previous\$2 near3 quer\$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S71	39	((previous\$2 near3 quer\$3) near5 entered) and @rlad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S72	4	((previous\$2 near3 quer\$3) near5 entered) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S73	39	((previous\$2 near3 quer\$3) near5 entered) and @rlad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S74	4	((previous\$2 near3 quer\$3) near5 entered) and @prad<"20030801"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S75	4311	(expir\$5 near5 (data or information)) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S76	2792	(expir\$5 near5 (data or information)) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S77	2317	(expir\$5 near5 data) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S78	1681	(expir\$5 near5 data) and @prad< "20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15

S79	224	(determin\$3 near5 (expir\$5 near5 data)) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S80	102	(determin\$3 near5 (expir\$5 near5 data)) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S81	1321	(determin\$3 with (off?line or offline)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S83	783	(determin\$3 with (off?line or offline)) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S84	237	(determin\$4 near6 (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receix\$3 or obtain\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S85	176	(determin\$4 near6 (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S86	1124	(determin\$4 with (search near5 result\$1)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S87	1305	(determin\$4 with (search near5 result\$1)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S88	785	(determin\$4 near6 (search near5 result\$1)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S89	860	(determin\$4 near6 (search near5 result\$1)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18

S90	460	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3 or execut\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S91	442	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3 or execut\$3)) and @prad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S92	149	((determin\$4 near6 (search\$3 or query\$3)) near6 (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @rlad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S93	83	((determin\$4 near6 (search\$3 or query\$3)) near6 (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @prad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S94	14	(determin\$4 with (search near5 result\$1) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3 or execut\$3)) and @rlad<"20020901"	US PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S95	19	(determin\$4 with (search near5 result\$1) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3 or execut\$3)) and @prad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S96	161	((determin\$4 near6 (search\$3 or query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S97	94	((determin\$4 near6 (search\$3 or query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and @prad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S98	237	((determin\$4 near6 (search\$3 or query\$3)) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20

S99	407	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S100	377	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receix\$3 or obtain\$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S101	60	((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and @rlad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:45
S102	14	((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and @prad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S103	1	S65 and 707/200.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S104	18	\$65 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S105	0	966 and 707/200.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:40
S106	9	S66 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S107	1	967 and 707/200.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S108	15	S67 and 707/3.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41

S109	42	((((part\$1 or percentage\$3 or portion\$1) near3 (result\$1 or output)) near5 (valid or correct or right)) with (stor\$3 or cach\$3 or receiv\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:52
S110	17	((((part\$1 or percentage\$3 or portion\$1) near3 (result\$1 or output)) near5 (valid or correct)) with (stor\$3 or cach \$3 or receiv\$3)) and @rlad<"20020901"	US PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:57
S111	104	((search\$3 near5 result\$1) near5 valid) and @rlad< "20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:57
S112	866780	(((search\$3 near5 result\$1) near5 valid) portion\$1) and @rlad< "20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:58
S113	0	(((search\$3 near5 result\$1) near5 valid) near5 portion \$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:58
S114	6	(((search\$3 near5 result\$1) near5 valid) with portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:59
S115	8	(((stor\$3 near5 result\$1) near5 valid) with portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:10
S116	58	(((result\$1) near5 valid) with portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:01
S117	11	(((search\$3 near5 result\$1) near5 valid) same portion \$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:15
S118	941399	(result\$1 near5 valid near\$5 portion\$1) and @rlad< "20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2007/10/02 11:16

S119	39	(result\$1 near5 valid near5 portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:19
S120	52	(result\$1 near5 valid near5 (portion\$1 or percent\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:20
S121	13	(result\$1 near5 valid near5 (percent\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:22
S122	8	((stor\$3 or cach\$3) near5 search\$3 near5 result\$1 near6 valid) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:34
S123	2	"20060120499"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:34
S124	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:04
S125	5	"7006588"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:08
S126	4	"7006588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:08
S127	55	(result\$1 near5 valid near5 (portion\$1 or percent\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 09:59
S128	5	S127 and "707".das.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 09:59
S129	893	(determin\$4 near6 (search near5 result\$1)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 10:00

S130	241	S129 and "707".das.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 10:00
S131	1	"20050027745" and (searched or stored or (determin\$3 with search\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 11:52
S132	3	"20050091211" and (stor\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:04
S133	2994	(stor\$3 same result\$1 same search\$3 same (compar\$3 or valida\$4 or match\$3 or accuracy or previous\$2)) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:13
S134	721	((stor\$3 with result\$1 with search\$3) same (compar\$3 or valida\$4 or match\$3 or accuracy or previous\$2)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:13
S135	4	"814069".ap.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:41
S136	130	((stor\$3 with result\$1 with search\$3) same (compar\$3 or valida\$4 or match\$3 or accuracy or previous\$2) same (portion\$1 or part\$1 or partial\$2)) and @rlad< "20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 11:26
S137	124	((stor\$3 with result\$1 with search\$3) same (compar\$3 or valida\$4 or match\$3 or accuracy or previous\$2) same (portion\$1 or part\$1)) and @rlad<"20020901"	US PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 11:29
S138	2	"20030212669" and ((result \$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 12:59
S139	2	"20030163453" and ((result \$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:05

S140	2	"7054860".pn. and ((result\$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:10
S141	2	"7277881".pn. and ((result\$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:38
S142	2	"6708162".pn. and ((result\$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:48
S143	2	"5933823".pn. and ((result\$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 14:12
S144	3	"20020120456"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 14:59
S145	4	"7054860"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 08:12
S146	2	"7054860".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 08:12
S147	2	"6775681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 10:39
S148	2	"6341277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 10:40
S149	1	10/814069	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:28
S150	2257	(search\$3 same result\$1 same categor\$7) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:43

S151	1038	(search\$3 same (result\$1 with categor\$7)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:43
S152	1038	(search\$3 same (result\$1 with categor\$7)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:43
S153	843	(search\$3 with (result\$1 with categor\$7)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:44
S154	224	S153 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:44
S155	1	"20040034625" and (categori \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:47
S156	1	"20040024752" and (categori \$6)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:48
S157	1	"20040024752" and (categor \$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:48
S158	1	"20030220913" and (categor \$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:50
S159	2	"20030220913" and result\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:01
S160	1	"20030220913" and (result\$1 with categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:01
S161	1	"20040019588" and (result\$1 with categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:02

S162	1	"6636848".pn. and result\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:16
S163	1	"6636848".pn. and (result\$1 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:17
S164	1	"20040015483" and (result\$1 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:21
S165	2	"20040002962" and (result\$1 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:33
S166	3	"20030220912" and (result\$1 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:35
S167	2	10/824251 and (iteration\$1 or iterative\$2 or access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 15:51
S168	819	((offline or off?line) near3 search\$3) and @ad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:29
S169	70	S168 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:29
S170	5	S168 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:29
S171	424	S168 and (cach\$3 or stor\$3 or sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30
S172	209	S171 and (query or queries or querying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30

S173	4	S172 and 707/7.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30
S174	47	S172 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30
S175	352	((offline or off?line) near3 search\$3)and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30
S176	28	S175 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30
S177	5	S175 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30
S178	2302	(previous\$2 near3 quer\$3) and @ad< "20030801"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30
S179	40	S178 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:30
S180	528	S178 and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/08/20 09:31
S181	44	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:31
S182	16	S181 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:31
S183	0	S181 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:31

S184	44	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:31
S185	0	S184 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:31
S186	16	S184 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:32
S187	3594	(expir\$5 near5 data) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:32
S188	237	S187 and "707"/.cds.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:32
S189	35	S188 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:32
S190	7	S188 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:32
S191	5	S175 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:34
S192	834	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3 or execut\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:35
S193	5	S192 and 707/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/20 09:35

S194	79	S192 and 707/3.ccls.	US-PGPUB;	OR	OFF	2009/08/20
			USPAT; USOCR;			09:35
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			

11/24/2009 1:38:15 PM
C:\ Documents and Settings\ dmyint\ My Documents\ EAST\ Workspaces\ 10-814-069__1.wsp